

Z-18.6 OFF ROAD CARAVAN

2016 TECHNICAL SPECIFICATIONS & UPGRADES

DAVID WEIR



Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

DIMENSIONS (mm)

Internal Length 5,640

External Travel Length 7,850

Internal Width 2,290

External Travel Width 2,400

Internal Height 1,980

External Travel Height 3,100

WEIGHTS (kg)


Tare Weight 2,250

ATM 3,500

Ball Weight 185

WARRANTY (Years)

Nationwide Warranty Cover 3



Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

DETAILS	SPECIFICATION	UPGRADE	ADD	Pricing
BODY CONSTRUCTION				
Zone RV's Closed Cell Composite Body	S			
Panelock Bonding Technology	S			
Seamless Front, Roof & Rear Composite Panel	S			
Raptor-Coat Protective Shield	S			
FLOOR CONSTRUCTION				
Infused P.E.T One-Piece Composite Floor Panel	S			
CHASSIS				
RHS Duragal Steel Off Road Chassis	S			
Raptor Coating Protective Shield	S			
Off Road Chassis Lift (50mm)	S			
Levelling & Stabilizer Legs (x4)	S			
Rear Position Recovery Points	S			
Zone RV Aluminium Chassis & Stage 4 Air Bag Suspension	U	16,500	1	16500
Drawbar Extension (500 mm Maximum)	U	480		0
Drawbar Mounted Thule Bike Carrier & 500 mm Drawbar Extension	U	1,080		0
Drawbar Boat Motor Mount & 500 mm Drawbar Extension	U	1,480		0
Hot Dipped Galvanising to Chassis	U	1,800		0
SUSPENSION				
Vehicle Components XT-Coil Dual Axle	S			
Vehicle Components XT-Air Bag Suspension _ Stage 4 Auto Level Control	INCLUDED ABOVE	0		0
Vehicle Components XT-Air Bag Suspension _ Stage 3 Manual Control	U	4,650		0
50 mm Drop Axle - For Travel Height Reduction	U	450		0

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD
BRAKES			
Electric Drum 12" AL-KO Brakes	S		
Electric/Hydraulic Disk Brakes (Not Compatible with ESC)	U	2,800	0
TOWING			
DO-35 Hitchmaster V2 Articulating Hitch	S		
Dexter Electronic Stability Control (ESC)	S		
Brakesafe Break Away System	S		
Front Protection Stone Guard and Mud Flaps	S		
Double Lens (Wide Angle Travel & Reversing Zoom) Reverse Camera & Vehicle Monitor Kit	S		
WHEELS & TYRES			
Off Road Alloy Wheels _ 16" x 8"	S		
265/75/16 AT Tyres	S		
Rear Mounted Standard Spare Wheel	S		
Second Spare Wheel & Mount	U	480	0
Tow Vehicle Matched Alloy Wheels & Tyres (on application)	U	1,480	0
EXTERNAL FEATURES			
Electric Double Entry Steps	S		
Front Storage Tool Box With Generator Slide (for 2KVA Generator)	S		
External Lockable Water Tap	S		
Twin 4.5kg Gas Bottles & External Gas Bayonet	S		
European Triple Seal Access Hatches	S		
Large Front Boot Storage With Internal Lighting & 12V Power Outlet	S		
Twin LED Awning Lights with Mosquito Deterrent Control	S		

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD	
Twin Front Narva Spotlights	S			
Fold-Down Picnic Table Incorporating External Entertainment Locker & Services	S			
BBQ or Fridge Slide in Front Boot Storage Area	U	650		0
Sovereign BBQ, Articulating Slide & Utility Storage Drawer	U	1,390	1	1390
Alfresco Slide-Out Kitchen, Combo BBQ/Oven/Twin Burner & H/C Sink	U	2,200		0
Rear-To-Roof Access Ladder (Folding 10 Step)	U	540	1	540
Twin Lockable Jerry Can Holders Fitted to Front Storage Box	U	240		0
Extra External LED Lights	U	150		0
AWNING				
Dometic Sunchaser Pull-Out Awning - 4,800 mm	<i>SEE NOTES</i>			
Anti-Flap Kit & Wall Mount Brackets	U	450	1	450
Twin Awning Centre Tension Rails	U	160		0
Annex Flooring (5,000 x 2,400 mm)	U	220	1	220
Drivers Side Sail Track for Off-Side Awning	U	180	1	180
Vertical Sail Tracks for Awning Wall Fitting (White)	U	180		0
INTERNAL COOLING & HEATING				
Truma Grande Air Conditioning (Reverse Cycle)	S			
Twin Fantastic Roof Vents (Thermostat Control & Pull/Push Air Flow)	S			
Sirocco Wall Mounted 12V Fan	S			
WEBASTO 12V Diesel Air Heater	<i>SEE NOTES</i>			
Combo Gas Truma HWS/ Air Heater	U	2,500	1	2500
Combo Gas Truma HWS/ Air Heater	U	2,200		0
Dometic Saphir Under-Mount Air Conditioner (To Reduce Height)	U	480		0
Additional Sirocco Wall Mounted Fan	U	190		0

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD
WINDOWS, ENTRY DOOR & HATCHES			
Dometic CaraD Premium Quad Lock Entry Door	S		
Dometic Sietz S4 Double Glazed Tint Windows	S		
European Triple Sealed External Access Hatch Doors	S		
INTERNAL LAYOUTS			
Café Style Lounge & Entertainment Console	S		
Dropaway Table for Seating Bed Area	S		
Complete LED Internal Lighting & Dimmer Controls	S		
Front of Axles Door Entry	S		
Lounge Area Bed Insert to Convert Seats to Bed	U	395	0
CABINERY			
Zone RV's Unique Aluminium/Composite Cabinetry Frame & Drawer System	S		
Positive Locking Smooth Pull Latches	S		
Self-Closing Stainless Steel Drawer Runners (45kg Rating Each)	S		
Overhead Locker Storage in Kitchen, Living, Over Bed & Ensuite with Twin Gas Strut Assist	S		
Overhead Hidden Pull-Open Latches	U	250	0
KITCHEN			
Top Row Drawers & Cupboard Faces with Hidden Drawers (For Reduced Weight)	S		
Individual Kitchen Drawers and Latches Layout (Increases Weight by 40 kg)	S		
Swift Gas Oven & Grill, 3 x Gas Burner & 1 x Electric Cooktop	S		
Samsung Microwave Mounted in Overheads	S		







Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD
Waeco 190L Compressor Fridge/Freezer with Roof Mounted Solar Heat Extraction Fan	S		
Fully Dust-Proof Sealed Fridge Venting & Stationary Cooling Hatch	S		
Synthetic Stone Benchtops with Large Workspaces	S		
Large Undermounted Kitchen Sink & Awning Side Servery Window	S		
BED AREA			
Full Queen Innerspring Bed with Lift-Up Storage Area	S		
Twin Bedside Hanging Wardrobe Storage and Bedside Drawers	S		
Overhead Locker Storage & Bedside Step-Locker Storage	S		
Padded Upholstered Bed Head	S		
Pillow Top with Memory Foam, Postropedic Mattress Upgrade	U	760	0
Single Bed Layout & Centre Robe Storage. Twin Front Windows & Protective Covers	U	2450	0
Under-Bed Drawers x 4	U	580	0
ENSUITE			
Large Internal Shower Cubicle & Extracting 12V Roof Fan	S		
Dometic Cassette Toilet System & SOG Filter (19L Capacity)	S		
Ceramic Vanity Basin With Stylish Mixer	S		
Daweoo 2 kg Front Load Washing Machine with Reinforced Mounting Frame	S		
Double Towel Rail	S		
Large Storage in Overhead Cabinets and Under Vanity Drawers and Cupboard Area	S		
Additional 4 x Drawers in Vanity Cabinet Area	U	320	0
POWER			
Twin 120 AH AGM Battery Package	S		
Enerdrive ePOWER 40A 12V Charging, 30A Enerdrive DC-DC Charger & Solar Management	S		

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD	
300W Flexible Lightweight Solar System (Air-Cooled for Maximum Efficiency)	S			
Drifter Battery Monitor (Includes Water Tank Level Indicators)	S			
Internal & External 240V, 12V and USB Power Points	S			
50A Anderson Plug for Vehicle Charging	S			
Enerdrive 200AH Lithium Battery Package	U	4950		0
Enerdrive 300AH Lithium Battery Package	U	6950		0
Enerdrive 400AH Lithium Battery Package	U	8250	1	8250
Additional 100W Solar Panel (Roof-Mounted)	U	380	1	380
1800 W Xantrax Inverter - Auto Switch Over at GPO Points	U	2800	1	2800
Additional Internal Double GPO, 12V Socket or USB Power Points	U	150		0
Additional External GPO, 12V Power Points	U	180		0
2KVA Promac Generator Fitted to Generator Slide	U	1260		0
H2O				
Fresh Water Storage 200L - Twin 100L Food Grade Poly Aluminium Armoured Water Tanks	S			
Grey Water Storage 100L - 100L Food Grade Poly Aluminium Armoured Water Tank	S			
Gas/240V Truma Gas Hot Water System	S			
Shurflow 12V Water Pump	S			
Internal Isolation Taps for Water Control	S			
Drifter Water Level Monitor (Includes Power Monitor Indicators)	S			
Mains Water Pressure System	S			
In-Line Cassette Water Filter	S			
External Hot/Cold Shower	S			
Water Tank Isolation System for Drinking Water (Separate Shurflow 12V Pump, Water Lines, Cassette Filter and 3-way Tap Upgrade)	U	680		0
Additional 100L Fresh Water Tank & Aluminium Tank Armour	U	380	1	380

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD	
ENTERTAINMENT				
Fusion Black Box Stereo System with Internal/External Speakers (AM/FM, Bluetooth, USB, Auxilery Input Points)	S			
TV/DVD 24" High Definition 12V	S			
Internal and External TV Mounts and Reception/Power Points	S			
Roof-Mounted Jack Digital TV Antenna with Internal Signal Control	S			
Input Point for External TV Reception	S			
VANSAT Bluestar Automatic TV Satellite System Including VAST Decoder	U	4800	1	4800
Fusion External Stereo Remote	U	299		0
INTERNAL COLOURS				
 OSLO	 COASTAL			
 MANHATTAN	 BANNOCKBURN			
 BRAUGHTON	 NEWPORT			
Leather Upholstery Lounge and Bed-Head	S			
Lumber Support Seating Profile Upgrade	U	150		0

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

NOTES TO ORDER

DOMETIC AWNING - Upgrade to Electric Model

UPGRADE

990

Credit for Owner Supplied Wheels and Tyres - Isuzu D-Max 17" (Note: Required to be load rated and specification for towing)

-1000

Kitchen Cooktop - Upgrade to WEBASTO Diesel Cooktop

1500

Webasto Diesel HWS and Heater System (Credit gas system and Truma HWS)

HONDA 2KVA Generator - Fitted to Front Box Slide with wiring to Switch Over to 240V

2099

Z-18.6 OFF ROAD TECHNICAL SPECIFICATIONS

PRICING

ZONE RV Z-18.6 Off Road	\$94,900.00
Upgrades Pricing	\$43,369.00
Total Price Including Upgrades	\$138,269.00

GET IN THE ZONE

Received: 29/04/2016

To secure a ZONE RV delivery position on the terms of this quote a \$ 1,000.00 confirmation/holding deposit is required. The holding confirmation deposit will secure a delivery position and the price specified. Final specifications, upgrades and colours are required to be finalised and signed-off 12 weeks prior to the completion date of your caravan. Full details and key dates will be supplied in your ZONE RV Customer Pack.

EXPERIENCE ZONE RV

For more information and details regarding the specifications of the ZONE RV Z-18.6 Off Road contact one of our expert team on 1300 134 446 or email sales@zonerv.com.au. We invite our customers the opportunity to experience a walkthrough of the ZONE RV Design & Manufacturing Facility based on the Sunshine Coast, bookings are essential please contact our team to make an appointment.

CONFIRMATION

Customer Sign Off

To confirm the order and lock-in the optional extras please sign & date this form. Please Note: During production of your caravan there will be no changes or adjustments accepted, please review this form carefully before sign-off.

Signed

Date

Weight	Added Weight
-100	-100
16	0
26	0
32	0
40	0
32	0
32	0
0	0

0

0

36

0

0

0

10	0
16	16
25	0
5	5
6	0
0.5	0

5	5
3	0
5	5
2	2
2	0

12	12
12	0
8	0
2	0

.....

.....

.....

.....

.....

.....

.....

.....

.....

10 0

.....

.....

.....

.....

.....

1 0

.....

.....

.....

.....

.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

5	0
0	0
12	0

.....
.....
.....
.....
.....
.....

12	0
----	---

.....
.....
.....

.....
.....
.....
.....
.....

-30	0
-15	0
5	5
12	12
35	35
0.5	0
0.5	0
22	0

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

5	0
25	25

18	18
2	0

0 0

.....

.....

.....

.....

.....

.....